



INSPIRE Infrastructure for Spatial Information in Europe

D2.10.3 INSPIRE Data Specifications – Base Models – Activity Complex

| | |
|--------------------|--|
| Title | D2.10.3: Generic Activity Complex, Version 1.0rc3 |
| Status | Baseline version |
| Creator | Drafting Team "Data Specifications", JRC Data Specifications Team |
| Date | 2013-04-05 |
| Subject | INSPIRE Data Specifications – Base Models – Activity Complex |
| Publisher | Drafting Team "Data Specifications", JRC Data Specifications Team |
| Type | Text |
| Description | Application schema for activity complexes (facilities) |
| Contributor | Members of the INSPIRE Drafting Team "Data Specifications", INSPIRE Spatial Data Interest Communities & Legally Mandated Organisations, INSPIRE Consolidation Teams and other Drafting Teams |
| Format | Portable document format (pdf) |
| Source | Drafting Team "Data Specifications", JRC Data Specifications Team. |
| Rights | Public |
| Identifier | D2.10.3_v1.0rc3 |
| Language | En |
| Relation | n/a |
| Coverage | Project duration |

Table of contents

| | |
|--|----|
| Foreword | 3 |
| 1 Scope..... | 4 |
| 2 Normative references | 4 |
| 3 Terms and abbreviations | 4 |
| 4 Generic Activity Complex model | 4 |
| 4.1 Overview..... | 4 |
| 4.2 The Activity Complex Model | 6 |
| 4.2.1 Spatial object types | 7 |
| 4.2.2 Data types..... | 9 |
| 4.2.3 Code lists..... | 14 |
| 4.2.4 Imported types (informative)..... | 16 |
| 4.2.5 Externally governed code lists | 18 |

| | | |
|--------------------------------|----------------------------|--------------|
| INSPIRE Data Specifications | Reference: D2.10.3_v1.0rc3 | |
| Base Models – Activity Complex | 2013-04-05 | Page 3 of 20 |

Foreword

INSPIRE is a Directive proposed by the European Commission in July 2004 setting the legal framework for the establishment of the Infrastructure for Spatial Information in the European Community, for the purposes of Community environmental policies and policies or activities which may have an impact on the environment.

INSPIRE should be based on the infrastructures for spatial information that are created and maintained by the Member States. The components of those infrastructures include: metadata, spatial data themes (as described in Annexes I, II, III of the Directive), spatial data services; network services and technologies; agreements on data and service sharing, access and use; coordination and monitoring mechanisms, processes and procedures.

The guiding principles of INSPIRE are that the infrastructures for spatial information in the Member States will be designed to ensure that spatial data are stored, made available and maintained at the most appropriate level; that it is possible to combine spatial data and services from different sources across the Community in a consistent way and share them between several users and applications; that it is possible for spatial data collected at one level of public authority to be shared between all the different levels of public authorities; that spatial data and services are made available under conditions that do not restrict their extensive use; that it is easy to discover available spatial data, to evaluate their fitness for purpose and to know the conditions applicable to their use.

The text of the INSPIRE Directive is available from the INSPIRE web site (<http://inspire.ec.europa.eu/>). The Directive identifies what needs to be achieved, and Member States had two years from the date of adoption to bring into force national legislation, regulations, and administrative procedures that define how the agreed objectives will be met taking into account the specific situation of each Member State. To ensure that the spatial data infrastructures of the Member States are compatible and usable in a Community and transboundary context, the Directive requires that common Implementing Rules (IR) are adopted in a number of specific areas. Implementing Rules are adopted as Commission Regulations and are binding in their entirety. The Commission is assisted in the process of adopting such rules by a regulatory committee composed by representatives of the Member States and European Parliament¹. The Committee is chaired by a representative of the Commission (this is known as the Comitology procedure). The committee was established on 15 August 2007.

The IR will be shaped in their legal structure and form by the Commission legal services on the basis of technical documents prepared by especially convened Drafting Teams, for each of the main components of INSPIRE: metadata, data specifications, network services, data and service sharing, and monitoring procedures. For data specifications, the technical documents for each spatial data theme will be prepared by especially convened Thematic Working Groups.

This document represents a contribution of the Data Specification Drafting Team.

It is important to note that this document is not a draft Implementing Rule, but a document that is a basis for the development and maintenance of the thematic data specifications that will serve as technical basis for the legal text of the INSPIRE Implementing Rules. It is foreseen that relevant requirements will continue to be included in the Implementing Rules.

The document will be publicly available as a 'non-paper', as it does not represent an official position of the Commission, and as such can not be invoked in the context of legal procedures.

¹ The implementing rules for interoperability of spatial data are formally adopted through regulatory procedure with scrutiny according to Council Decision of 17 July 2006 (2006/512/EC). Under this regulation, the Parliament and the Council are on equal footing for all regulatory procedures related to co-decision acts. As a consequence, all measures must be ratified by all three institutions to come into force.

| | | |
|--------------------------------|----------------------------|--------------|
| INSPIRE Data Specifications | Reference: D2.10.3_v1.0rc3 | |
| Base Models – Activity Complex | 2013-04-05 | Page 4 of 20 |

1 Scope

This document specifies an application schema for a Generic Activity Complex Model for use by thematic application schemas in INSPIRE.

The document identifier is: D2.10.3.

2 Normative references

D2.5 v3.4, Generic Conceptual Model, April 2012

3 Terms and abbreviations

The terms and definitions, abbreviations and other conventions specified in clause 3 of the Generic Conceptual Model apply.

4 Generic Activity Complex model

4.1 Overview

The term “Facility” has been included on the descriptive name of several INSPIRE Annex II, III themes (e.g. “Production and Industrial Facilities (PF)”, “Agricultural and Aquaculture Facilities(AF)”) but is also implicitly included in many others (e.g. Utility and Governmental Services). Some references to “Facilities” are also included in Annex.I themes as “Transport Networks” or “Hydrography”.

Facilities is a generic term that covers a wide range of physical entities of anthropogenic origin designed, built or installed to serve a specific function. It means that the thematic classification of facilities doesn't depend on their geographical characteristics but on the functions performed on them. Because of it, the same geographical entity can be described by different thematic domains. Activity Complex is the result of an additional harmonization effort among Thematic Groups dealing with “facilities” in order to define a generic model merging common elements described across different thematic domains at the same level of abstraction. This class will be the link, through its geographical component, for different thematic domain specific datasets.

“Activity Complex” is a generic name agreed across thematic domains trying to avoid specific thematic connotations as Plant, Installation, Facility, Establishment or Holding.

Because of this, Activity Complex must adhere to the requirements of horizontal datasets in which facilities are considered independently of their thematic scope (Emissions Directive, Waste Directive, SEVESO,...).

For those data providers in charge of datasets existing as result of these horizontal legislation requirements, the generic class is intended to be a simplification of the process avoiding the complexity of splitting datasets among thematic domains.




Figure 1 – Scope limits of Facilities and Activity Complex in the context of INSPIRE.

The types defined in the Base Model “Activity Complex” are supposed to be extended in the related thematic data specifications (e.g. Agricultural and Aquaculture Facilities, Production and Industrial Facilities, Utility and Governmental Services).

IR Requirement

Annex I

8.2. Requirements for Activity Complexes

If a data provider uses a sub-type of ActivityComplex to make available information on the status, physical capacity, permissions and/or additional information, the relevant code lists and data types (ConditionOfFacilityValue, Capacity, Permission, ActivityComplexDescription) included in the package Activity Complex shall be used.

4.2 The Activity Complex Model




Figure 2 – “Activity Complex” Application Schema

Table 1 – Feature catalogue metadata

| | |
|--------------------|---|
| Application Schema | INSPIRE Application Schema Activity Complex |
| Version number | 3.0rc3 |

Table 2 – Types defined in the feature catalogue

| Type | Package | Stereotypes |
|-----------------------------------|------------------|---------------|
| <i>ActivityComplex</i> | Activity Complex | «featureType» |
| <i>ActivityComplexDescription</i> | Activity Complex | «dataType» |
| <i>Capacity</i> | Activity Complex | «dataType» |
| <i>Function</i> | Activity Complex | «dataType» |
| <i>InputOutputAmount</i> | Activity Complex | «dataType» |
| <i>Permission</i> | Activity Complex | «dataType» |

4.2.1 Spatial object types

4.2.1.1. ActivityComplex

| ActivityComplex | |
|-----------------------|---|
| Name: | activity complex |
| Definition: | A "single unit", both technically and economically, under the management control of the same legal entity (operator), covering activities as those listed in the Eurostat NACE classification, products and services. Activity Complex includes all infrastructure, equipment and materials. It must represent the whole area, at the same or different geographical location, managed by a "single unit". |
| Description: | NOTE 1 This class describes the minimal set of elements necessary to describe and identify geographically a legal entity and the activities taken place on it under the context of a Environmental purposes. NOTE 2 "Activity Complex" could be assimilated to terms described on the legislation as Facility, Establishment, Plant, Holding, Organization ,Farm, Extractive Industries or Aquaculture Production Business among others EXAMPLE i.e. an Agro-business that is legally registered under the Emissions Directive. |
| Stereotypes: | «featureType» |
| Attribute: inspireId | |
| Name: | INSPIRE identifier |
| Value type: | Identifier |
| Definition: | External object identifier of the "Activity Complex". |
| Description: | NOTE An external object identifier is a unique object identifier published by the responsible body, which may be used by external applications to reference the spatial object. The identifier is an identifier of the spatial object, not an identifier of the real-world phenomenon. |
| Multiplicity: | 1 |
| Attribute: thematicId | |
| Name: | thematic identifier |
| Value type: | ThematicIdentifier |
| Definition: | Thematic Activity Complex identifier. |
| Description: | NOTE It may be the identification code provided or maintained by the Member States public authority to identify the object in the context of specific or general thematic scopes. |

ActivityComplex

Multiplicity: EXAMPLE Assigned National PRTR Code.
0..*

Attribute: name

Name: name
Value type: CharacterString
Definition: Descriptive name of the “Activity Complex”.
Description: NOTE 1 Several names in different languages may be expressed.
NOTE 2 It is recommended that the language of the name (part of the Geographical/Name data type) be filled whenever possible.
Multiplicity: 0..1
Stereotypes: «voidable»

Attribute: geometry

Name: geometry
Value type: GM_Object
Definition: The geometry used to define the extent or position of the “Activity Complex”.
Description: NOTE 1 Based on the provided description, different geometries could be used to represent the Activity Complex as a one legal whole.
EXAMPLE 1 E-prtr geometry is given by a single point based on Geographical Coordinates (see below). In other levels of detail or depending on the Data Provider this could be represented [e.g.] by a Multi-polygon.
EXAMPLE 2 PRTR - Legal act example: “ ... the latitude and longitude coordinates within an arc of 5 minutes that avoid the direct identification of an individual holding....”.
Multiplicity: 1

Attribute: function

Name: function
Value type: Function
Definition: Activities performed by the activity complex. Function is described by the activity and potentially complemented with information about inputs and outputs as result of it.
Description: NOTE The Activity described as part of the Function “Activity Complex” should be recorded using a controlled vocabulary where a particular controlled vocabulary is in use within a given context, such as SIC codes in the UK, it is acceptable to use these, however, the preferred choice for European interoperability is whenever possible NACE [NACE].
Multiplicity: 1..*

Attribute: validFrom

Name: valid from
Value type: DateTime
Definition: The time when the activity complex started to exist in the real world.
Multiplicity: 1
Stereotypes: «voidable»

Attribute: validTo

Name: valid to
Value type: DateTime
Definition: The time when the activity complex no longer exists in the real world.
Multiplicity: 0..1

| ActivityComplex | |
|--|--|
| Stereotypes: | «voidable» |
| Attribute: beginLifespanVersion | |
| Name: | begin lifespan version |
| Value type: | DateTime |
| Definition: | Date and time at which this version of the spatial object was inserted or changed in the spatial data set. |
| Description: | NOTE This date is recorded to enable the generation of change only update files. |
| Multiplicity: | 1 |
| Stereotypes: | «voidable,lifeCycleInfo» |
| Attribute: endLifespanVersion | |
| Name: | end lifespan version |
| Value type: | DateTime |
| Definition: | Date and time at which this version of the spatial object was superseded or retired in the spatial data set. |
| Description: | NOTE This date is recorded primarily for those systems which "close" an entry in the spatial data set in the event of an attribute change. |
| Multiplicity: | 0..1 |
| Stereotypes: | «voidable,lifeCycleInfo» |

4.2.2 Data types

4.2.2.1. ActivityComplexDescription

| ActivityComplexDescription | |
|-----------------------------------|---|
| Name: | activity complex description |
| Definition: | Additional information about an activity complex, including its description, address, contact and related parties. |
| Stereotypes: | «dataType» |
| Attribute: description | |
| Name: | description |
| Value type: | PT_FreeText |
| Definition: | A complementary definition of the "Activity Complex" and its characteristics. |
| Description: | NOTE Free text to include or refer any complementary information about the Activity Complex or its characteristics. |
| Multiplicity: | 0..1 |
| Stereotypes: | «voidable» |
| Attribute: address | |
| Name: | address |
| Value type: | AddressRepresentation |
| Definition: | An address for the activity complex, i.e., an address where the activities occur. |
| Multiplicity: | 0..1 |
| Stereotypes: | «voidable» |
| Attribute: contact | |
| Name: | contact |
| Value type: | Contact |
| Definition: | Contact information for the activity complex. |
| Multiplicity: | 0..1 |
| Stereotypes: | «voidable» |

| | | |
|--------------------------------|----------------------------|---------------|
| INSPIRE Data Specifications | Reference: D2.10.3_v1.0rc3 | |
| Base Models – Activity Complex | 2013-04-05 | Page 10 of 20 |

ActivityComplexDescription

Attribute: relatedParty

| | |
|---------------|--|
| Name: | related party |
| Value type: | RelatedParty |
| Definition: | Information on Parties related to the Activity Complex. It is open to many different roles, such as owners, operators or Competent Authorities. |
| Description: | NOTE 1 The term covers concepts described on the legislation such as Operator, Company, Port Authority, Agent, Holder, Collector, Producer, Competent Authority or Keeper. |
| Multiplicity: | 0..* |
| Stereotypes: | «voidable» |

4.2.2.2. Capacity

Capacity

| | |
|--------------|--|
| Name: | capacity |
| Definition: | A quantification of an actual or potential ability to perform an activity, that typically does not change, does not change often, or does not change to a significant degree. |
| Description: | NOTE Capacity could refer depending of the thematic scope to different concepts included on the legislation as “emission limits”, “capacity incineration”, “livestock units”, “nominal capacity”, “objective estimation data”, “rate of desulphurization” or “recycling rate”. |
| Stereotypes: | «dataType» |

Attribute: activity

| | |
|---------------|--|
| Name: | activity |
| Value type: | EconomicActivityValue |
| Definition: | Categorized description of individual or organized set of technically related processes that are carried out by a economical unit, private or public, profit or non profit character. |
| Description: | NOTE The Activity described as part of the Function for “Activity Complex” should be recorded using a controlled vocabulary where a particular controlled vocabulary is in use within a given context, such as SIC codes in the UK, it is acceptable to use these, however, the preferred choice for European interoperability is whenever possible NACE [NACE]. |
| Multiplicity: | 1..* |
| Values: | The allowed values for this code list comprise only the values specified in Annex C. |

Attribute: input

| | |
|---------------|---|
| Name: | input |
| Value type: | InputOutputAmount |
| Definition: | Measurable information about parameters related with the inputs related with the activity carried out by the Activity Complex. |
| Description: | NOTE Depending on the thematic scope it can contain different values including terms as Registered Pollutants, Waste, Processed Products, leakage, etc. |
| Multiplicity: | 0..* |

Attribute: output

| | |
|--------------|---|
| Name: | output |
| Value type: | InputOutputAmount |
| Definition: | Measurable information about parameters related with the outputs derived from the activity carried out by the “Activity Complex”. |
| Description: | NOTE Depending on the thematic scope it can contain different values including terms as Registered Pollutants, Waste, Processed Products, leakage, etc. |

| Capacity | |
|-------------------------------|---|
| Multiplicity: | 0..* |
| Attribute: time | |
| Name: | time |
| Value type: | Time |
| Definition: | The duration of time to which the specified capacity refers, such as 1 year for an annual capacity. |
| Description: | NOTE Total capacities are specified without duration of time. |
| Multiplicity: | 0..1 |
| Attribute: description | |
| Name: | description |
| Value type: | PT_FreeText |
| Definition: | A description of the capacity. |
| Multiplicity: | 0..1 |
| Stereotypes: | «voidable» |

4.2.2.3. Function

| Function | |
|----------------------------|---|
| Name: | function |
| Definition: | The function of something expressed as an activity and optional input and/or output. |
| Description: | NOTE Depending on the scope it can refer to different activities (co-incineration, Collection, exploration, incineration, interim disposal, management, recycling, primary production, primary treatment, recovery , recycling, release, storage, use, waste management, etc) and Inputs and Outputs (sludge, substance, tailings, technical products, urban waste water, volatile organic compound, waste, WEEE from private households, etc). |
| Stereotypes: | «dataType» |
| Attribute: activity | |
| Name: | activity |
| Value type: | ActivityValue |
| Definition: | Categorized description of individual or organized set of technically related processes that are carried out by a economical unit, private or public, profit or non profit character. |
| Description: | NOTE The Activity described as part of the Function for “Activity Complex” should be recorded using a controlled vocabulary where a particular controlled vocabulary is in use within a given context, such as SIC codes in the UK, it is acceptable to use these, however, the preferred choice for European interoperability is whenever possible NACE [NACE]. |
| Multiplicity: | 1..* |
| Values: | The allowed values for this code list comprise only the values specified in Annex C. |
| Attribute: input | |
| Name: | input |
| Value type: | InputOutputValue |
| Definition: | A classified or registered type of material or something immaterial, that enters a technical and economical unit according to its function. |
| Description: | NOTE Depending on the thematic scope it can contain different values including terms as Biomass, Bio-Waste, Fuel, Organic Solvents, Waste Water, Waste for disposal or recovery, Primary Materials, .. |
| Multiplicity: | 0..* |

| | | |
|--------------------------------|----------------------------|---------------|
| INSPIRE Data Specifications | Reference: D2.10.3_v1.0rc3 | |
| Base Models – Activity Complex | 2013-04-05 | Page 12 of 20 |

Function

Stereotypes: «voidable»
 Values: The allowed values for this code list comprise the values specified in "" and additional values at any level defined by data providers.

Attribute: output

Name: output
 Value type: InputOutputValue
 Definition: A classified or registered type of material or something immaterial, that leaves a technical and economical unit according to its function, ".
 Description: NOTE Depending on the thematic scope it can contain different values including terms as Registered Pollutants, Waste, Processed Products, leakage, etc.
 Multiplicity: 0..*
 Stereotypes: «voidable»
 Values: The allowed values for this code list comprise the values specified in "" and additional values at any level defined by data providers.

Attribute: description

Name: description
 Value type: PT_FreeText
 Definition: A more detailed description of the function.
 Multiplicity: 0..1
 Stereotypes: «voidable»

4.2.2.4. InputOutputAmount

InputOutputAmount

Name: amount of input or output
 Definition: Type and, where available, measurable amount of a classified or registered material that enters or leaves a technical and economical unit.
 Description: NOTE Depending on the thematic scope it can refer to different terms as Biomass, Bio-Waste, Fuel, Organic Solvents, Waste Water, Waste for disposal or recovery, Primary Materials, etc.
 Stereotypes: «dataType»

Attribute: inputOutput

Name: input/output
 Value type: InputOutputValue
 Definition: A classified or registered type of material or something immaterial, that enters a technical and economical unit according to its function.
 Description: NOTE Depending on the thematic scope it can contain different values including terms as Biomass, Bio-Waste, Fuel, Organic Solvents, Waste Water, Waste for disposal or recovery, Primary Materials, etc.
 Multiplicity: 1
 Values: The allowed values for this code list comprise the values specified in "" and additional values at any level defined by data providers.

Attribute: amount

Name: amount
 Value type: Measure
 Definition: The amount (such as a volume or mass) of the classified or registered material that enters or leaves a technical and economical unit.
 Multiplicity: 1
 Stereotypes: «voidable»

| Permission | |
|-------------------------------------|--|
| Definition: | A date starting from which the permission applies and is valid. |
| Multiplicity: | 1 |
| Stereotypes: | «voidable» |
| Attribute: dateTo | |
| Name: | date to |
| Value type: | DateTime |
| Definition: | A date up to which the permission applies and is valid. |
| Multiplicity: | 0..1 |
| Stereotypes: | «voidable» |
| Attribute: description | |
| Name: | description |
| Value type: | PT_FreeText |
| Definition: | A description of the permission. |
| Multiplicity: | 0..1 |
| Stereotypes: | «voidable» |
| Attribute: permittedFunction | |
| Name: | permitted function |
| Value type: | Function |
| Definition: | Function/s for which the permission is granted. Function is as described by the Activity and potentially complemented by information about the Inputs and Outputs derived from the same. |
| Description: | NOTE Functions permitted according to the permission, such as a permit for a landfill. |
| Multiplicity: | 0..* |
| Stereotypes: | «voidable» |
| Attribute: permittedCapacity | |
| Name: | permitted capacity |
| Value type: | Capacity |
| Definition: | Maximum amounts of activity input and/or output according to the permission, |
| Description: | NOTE The physical capacities of a facility may exceed the permitted capacities. EXAMPLE Incineration of at most 100000 tons of residual waste per year. |
| Multiplicity: | 0..* |
| Stereotypes: | «voidable» |

4.2.3 Code lists

4.2.3.1. EconomicActivityValue

| ActivityValue | |
|----------------------|--|
| Name: | economic activity |
| Definition: | Classification of economic activities. |
| Extensibility: | none |
| Identifier: | |
| Values: | The allowed values for this code list comprise the values of the following code lists or other code lists specified by data providers: <ul style="list-style-type: none"> - EU Economic Activity Classification (EconomicActivityNACEValue): Economic activities according to Eurostat NACE Classification values, as |

ActivityValue

| |
|--|
| <p>specified in Regulation (EC) No 1893/2006 of the European Parliament and of the Council².</p> <ul style="list-style-type: none"> - EU Waste Statistics Economic Activity Classification (EconomicActivityWasteStatisticsValue): Classification of economic activities according to Section 8 of Annex I of Regulation (EC) No 2150/2002³. - EU Waste Recovery Disposal Classification (WasteRecoveryDisposalValue): Classification of waste recovery and disposal operations according to Annexes I and II of Directive 2008/98/EC of the European Parliament and of the Council⁴. |
|--|

4.2.3.2. EconomicActivityNACEValue

EconomicActivityNACEValue

| | |
|----------------|---|
| Name: | EU economic activity classification |
| Definition: | Classification of economic activities according to Eurostat NACE. |
| Extensibility: | none |
| Identifier: | http://inspire.ec.europa.eu/codeList/EconomicActivityNACEValue |
| Parent: | ActivityValue |
| Values: | The allowed values for this code list comprise only the values specified in Regulation (EC) No 1893/2006 of the European Parliament and of the Council. |

4.2.3.3. EconomicActivityWasteStatisticsValue

EconomicActivityWasteStatisticsValue

| | |
|----------------|---|
| Name: | EU waste statistics economic activity classification |
| Definition: | Classification of Products by Economical Activity according to Regulation (EC) No 2150/2002 on waste statistics. |
| Extensibility: | none |
| Identifier: | http://inspire.ec.europa.eu/codeList/EconomicActivityWasteStatisticsValue |
| Parent: | ActivityValue |
| Values: | The allowed values for this code list comprise only the values specified in Section 8 of Annex I of Regulation (EC) No 2150/2002 |

4.2.3.4. InputOutputValue

InputOutputValue

| | |
|----------------|--|
| Name: | input or output |
| Definition: | Classification of inputs or outputs. |
| Extensibility: | open |
| Identifier: | |
| Values: | The allowed values for this code list comprise the values of the following code lists or other code lists specified by data providers. <ul style="list-style-type: none"> - EU Product Classification (ProductCPAValue): Classification of Products by Economical Activity according to Regulation (EC) No 451/2008 of the European Parliament and of the Council⁵. - EU Waste Classification (WasteValue): Classification of Wastes according to Decision 2000/532/EC⁶. |

4.2.3.5. ProductCPAValue

ProductCPAValue

² OJ L 393, 30.12.2006, p. 1.
³ OJ L 332, 9.12.2002, p. 1.
⁴ OJ L 312, 22.11.2008, p. 3.
⁵ OJ L 145, 4.6.2008, p. 65.
⁶ OJ L 226, 6.9.2000, p. 3.

ProductCPAValue

| | |
|----------------|--|
| Name: | EU product classification |
| Definition: | Eurostat Statistical Classification of Products by Activity in the European Economic Community. |
| Extensibility: | none |
| Identifier: | http://inspire.ec.europa.eu/codeList/ProductCPAValue |
| Parent: | InputOutputValue |
| Values: | The allowed values for this code list comprise only the values specified in Regulation (EC) No 451/2008 of the European Parliament and of the Council. |

4.2.3.6. WasteRecoveryDisposalValue

WasteRecoveryDisposalValue

| | |
|----------------|---|
| Name: | EU waste recovery disposal classification |
| Definition: | Classification of waste recovery and disposal operations according to Annexes I and II of the EU waste directive (2008/98). |
| Extensibility: | none |
| Identifier: | http://inspire.ec.europa.eu/codeList/WasteRecoveryDisposalValue |
| Parent: | ActivityValue |
| Values: | The allowed values for this code list comprise only the values specified in Annexes I and II of Directive 2008/98/EC of the European Parliament and of the Council. |

4.2.3.7. WasteValue

WasteValue

| | |
|----------------|---|
| Name: | EU waste classification |
| Definition: | EU Decision 2000/532 List of Wastes. |
| Extensibility: | none |
| Identifier: | http://inspire.ec.europa.eu/codeList/WasteValue |
| Parent: | InputOutputValue |
| Values: | The allowed values for this code list comprise only the values specified in Decision 2000/532/EC. |

4.2.4 Imported types (informative)

This section lists definitions for feature types, data types and enumerations and code lists that are defined in other application schemas. The section is purely informative and should help the reader understand the feature catalogue presented in the previous sections. For the normative documentation of these types, see the given references.

4.2.4.1. AddressRepresentation

AddressRepresentation

| | |
|--------------|---|
| Package: | Addresses |
| Reference: | INSPIRE Data specification on Addresses [DS-D2.8.1.5] |
| Definition: | Representation of an address spatial object for use in external application schemas that need to include the basic, address information in a readable way. |
| Description: | NOTE 1 The data type includes the all necessary readable address components as well as the address locator(s), which allows the identification of the address spatial objects, e.g., country, region, municipality, address area, post code, street name and address number. It also includes an optional reference to the full address spatial object. |
| | NOTE 2 The datatype could be used in application schemas that wish to include address information e.g. in a dataset that registers buildings or properties. |

4.2.4.2. CharacterString

CharacterString

| | | |
|--------------------------------|----------------------------|---------------|
| INSPIRE Data Specifications | Reference: D2.10.3_v1.0rc3 | |
| Base Models – Activity Complex | 2013-04-05 | Page 17 of 20 |

CharacterString

Package: Text
Reference: Geographic information -- Conceptual schema language [ISO/TS 19103:2005]

4.2.4.3. Contact

Contact

Package: Base Types 2
Reference: INSPIRE Generic Conceptual Model, version 3.4 [DS-D2.5]
Definition: Communication channels by which it is possible to gain access to someone or something.

4.2.4.4. DateTime

DateTime

Package: Date and Time
Reference: Geographic information -- Conceptual schema language [ISO/TS 19103:2005]

4.2.4.5. GM_Object

GM_Object (abstract)

Package: Geometry root
Reference: Geographic information -- Spatial schema [ISO 19107:2003]

4.2.4.6. Identifier

Identifier

Package: Base Types
Reference: INSPIRE Generic Conceptual Model, version 3.4 [DS-D2.5]
Definition: External unique object identifier published by the responsible body, which may be used by external applications to reference the spatial object.
Description: NOTE1 External object identifiers are distinct from thematic object identifiers.

NOTE 2 The voidable version identifier attribute is not part of the unique identifier of a spatial object and may be used to distinguish two versions of the same spatial object.

NOTE 3 The unique identifier will not change during the life-time of a spatial object.

4.2.4.7. Measure

Measure

Package: ProductionAndIndustrialFacilitiesExtension
Reference: INSPIRE Data specification on Production and Industrial Facilities [DS-D2.8.III.8]

4.2.4.8. PT_FreeText

PT_FreeText

Package: Cultural and linguistic adaptability
Reference: Geographic information -- Metadata -- XML schema implementation [ISO/TS 19139:2007]

4.2.4.9. RelatedParty

RelatedParty

Package: Base Types 2
Reference: INSPIRE Generic Conceptual Model, version 3.4 [DS-D2.5]
Definition: An organisation or a person with a role related to a resource.
Description: NOTE 1 A party, typically an individual person, acting as a general point of contact for a resource can be specified without providing any particular role.

4.2.4.10. ThematicIdentifier

| ThematicIdentifier | |
|--------------------|--|
| Package: | Base Types 2 |
| Reference: | INSPIRE Generic Conceptual Model, version 3.4 [DS-D2.5] |
| Definition: | Thematic identifier to uniquely identify the spatial object. |
| Description: | Some spatial objects may be assigned multiple unique identifiers. These may have been established to meet data exchange requirements of different reporting obligations at International, European or national levels and/or internal data maintenance requirements. |

4.2.4.11. Time

| Time | |
|------------|--|
| Package: | Units of Measure |
| Reference: | Geographic information -- Conceptual schema language [ISO/TS 19103:2005] |

4.2.5 Externally governed code lists

The externally governed code lists included in this application schema are specified in the tables in this section.

4.2.5.1. Governance and authoritative source

| Code list | Governance | Authoritative Source (incl. version ⁷ and relevant subset, where applicable) |
|--------------------------------------|--|---|
| EconomicActivityNACEvalue | European Commission – Eurostat | Regulation (EC) No 1893/2006 of the European Parliament and of the Council |
| EconomicActivityWasteStatisticsValue | European Commission | Section 8 of Annex I of Regulation (EC) No 2150/2002 on Waste Statistics. |
| ProductCPAValue | European Commission – Eurostat | Regulation (EC) No 451/2008 of the European Parliament and of the Council. |
| WasteRecoveryDisposalValue | European Commission, Council, Parliament | Annexes I and II of Directive 2008/98/EC of the European Parliament and of the Council. |
| WasteValue | European Commission | Decision 2000/532/EC |

4.2.5.2. Availability

| Code list | Availability | Format |
|--------------------------------------|---|-----------------|
| EconomicActivityNACEvalue | http://ec.europa.eu/environment/emas/pdf/general/nacecodes_en.pdf | PDF |
| EconomicActivityNACEvalue | http://ec.europa.eu/competition/mergers/cases/index/nace_all.html | HTML |
| EconomicActivityWasteStatisticsValue | http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CELEX:32002R2150:EN:NOT | HTML, PDF, TIFF |

⁷ If no version or publication date are specified, the “latest available version” shall be used.

| | | |
|----------------------------|---|-----------------|
| ProductCPAValue | http://ec.europa.eu/eurostat/ramon/nomenclatures/index.cfm?TargetUrl=LST_NOM_DT&StrNom=CPA_2008&StrLanguageCode=EN&IntPcKey=&StrLayoutCode=HIERARCHIC | HTML |
| WasteRecoveryDisposalValue | http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CELEX:32008L0098:EN:NOT | HTML, PDF, TIFF |
| WasteValue | http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2000:226:0003:0024:EN:PDF | PDF |

4.2.5.3. Rules for code list values

| Code list | Identifiers | Examples |
|--------------------------------------|---|---|
| EconomicActivityNACEvalue | Append the upper-case letters and digits code separated by dots. (e.g A.01.19 for “Growing of other non-perennial crops”) to the URI prefix http://inspire.ec.europa.eu/codelist/EconomicActivityNACEvalue/ | http://inspire.ec.europa.eu/codelist/EconomicActivityNACEvalue/A.01.19 |
| EconomicActivityWasteStatisticsValue | Append the numerical code in the “Item No.” column (e.g 1 for “Agriculture, forestry and fishing”) to the URI prefix http://inspire.ec.europa.eu/codelist/EconomicActivityWasteStatisticsValue/ | http://inspire.ec.europa.eu/codelist/EconomicActivityWasteStatisticsValue/1 |
| ProductCPAValue | Append the numerical two-digit codes, separated by dots (e.g 01.23.11 for “Pomelo and grapefruits”) to the URI prefix http://inspire.ec.europa.eu/codelist/ProductCPAValue/ | http://inspire.ec.europa.eu/codelist/ProductCPAValue/01.23.11 |
| WasteRecoveryDisposalValue | Append the upper-case letter and numerical code separated by a dot. (e.g D.1 for “Deposit into or on to land (e.g. landfill, etc.)”) to the URI prefix http://inspire.ec.europa.eu/codelist/WasteRecoveryDisposalValue/ | http://inspire.ec.europa.eu/codelist/WasteRecoveryDisposalValue/D.1 |
| WasteValue | Append the numerical codes used in the hierarchy separated by underscores (e.g 02_03_99 for “Wastes not otherwise specified”) to the URI prefix http://inspire.ec.europa.eu/codelist/WasteValue/ | http://inspire.ec.europa.eu/codelist/WasteValue/02_03_99 |

| Code list | Labels | Examples |
|---------------------------|--|---|
| EconomicActivityNACEvalue | Use the label specified for each code in the authoritative source. | “Growing of non-perennial crops” (English label for A.01.1) |

| | | |
|--------------------------------------|--|---|
| | | “Growing of fibre crops” (English label for A.01.16) |
| EconomicActivityWasteStatisticsValue | Use the label specified in the “Description” column. If several NACE categories are combined in one item no., separate them by semicolons. | “Agriculture, forestry and fishing” (English label for Item no. 1) “Manufacture of textiles; Manufacture of wearing apparel; Manufacture of leather and related products” (English label for Item no. 4) |
| ProductCPAValue | Use the label specified for each code in the authoritative source. | “Rice, not husked” (English label for 01.12) “Fibre crops” (English label for 01.16) |
| WasteRecoveryDisposalValue | Use the label specified for each code in the authoritative source. Do not include the explanatory footnotes. | “Deposit into or on to land (e.g. landfill, etc.)” (English label for D.1) “Use principally as a fuel or other means to generate energy” (English label for R.1) |
| WasteValue | Use the label specified for each code in the authoritative source. | “Wastes from mineral excavation” (English label for 01 01) “Waste from mineral metalliferous excavation” (English label for 01 01 01) |